

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1-14 in accordance with the following:

1. (CURRENTLY AMENDED) A distribution system connected to clients through communication circuits, comprising:

~~having a parent server and a plurality of child servers, being arranged to be capable of connection with a plurality of clients through communication circuits, so that contents held by the parent server and/or the child servers are distributed to the clients; wherein the parent server comprises:~~

a parent server and child servers, wherein:

the parent server comprises:

~~an a receiving unit that receives~~receiving an area identification representing a geographical position information of one of the clients and identification information of the contents, whose distribution of which is requested by the one of the clients; and

~~an a selecting unit that selects~~selecting one of the child server which servers that holds the contents, whose distribution of which is requested, and which child server is closest to the one of the clients client that originates the distribution request, using the received area identification client position information and identification information of the contents, and that notifiesnotifying the one of the clients client that originates the distribution request of the logical position information of the selected one of the child servers~~servers;~~ and

~~the child server comprises~~each child server comprises:

~~an a distributing unit that distributes~~distributing the contents, whose distribution of which is requested in response to a request of by the one of the clients the client originating the distribution request.

2. (CURRENTLY AMENDED) The distribution system according to claim 1, wherein:  
~~said~~the parent server further comprises an an ascertaining unit that ascertainsascertaining the a presence or an absence of a the distribution request or the a

frequency of distribution requests for ~~said~~the contents from ~~said~~the one of the clients situated in an area for which ~~said~~the one of the child servers is responsible, and

~~said~~the child server further comprises an acquiring unit ~~that acquires~~acquiring and ~~copies~~copying from ~~said~~the parent server ~~said~~the contents that are not held by ~~said~~the one of the child servers, on ~~the~~a basis of the ascertained presence or the absence of ~~a~~the distribution request or the frequency of distribution requests.

3. (CURRENTLY AMENDED) The distribution system according to claim 2, wherein said child server further comprises:

an ascertaining unit ~~that ascertains~~ascertaining the presence or the absence of ~~a~~the distribution request or the frequency of distribution requests for ~~said~~the contents from ~~said~~the one of the clients situated in the area for which ~~said~~the one of the child servers is responsible, and

an a deleting unit ~~that deletes~~deleting from ~~said~~the one of the child server servers ~~said~~the contents which are held by the one of the ~~said~~child server servers on the basis of the ascertained presence or absence of ~~a~~the distribution request or the frequency of distribution requests.

4. (CURRENTLY AMENDED) The distribution system according to claim 2, wherein said child server further comprises:

an a deleting unit ~~that deletes~~deleting from the one of the ~~said~~child server servers ~~said~~the contents which are held by the one of the ~~said~~child server servers on the basis of the presence or absence of ~~a~~the distribution request or the frequency of distribution requests ascertained by ~~said~~the parent server.

5. (CURRENTLY AMENDED) A distribution system connected to clients through communication circuits, comprising:

~~having a parent server and a plurality of child servers, being arranged to be capable of connection with a plurality of clients through communication circuits, so that contents held by the parent server and/or the child servers are distributed to the clients; wherein~~

a parent server and child servers, wherein:

the parent server comprises:

~~the parent server comprises an~~an ascertaining unit ~~that ascertains~~ascertaining ~~the~~a

presence or an absence of a distribution request or ~~the~~ a frequency of distribution requests for ~~said~~ the contents from ~~said~~ the one of the clients situated in an area for which ~~said~~ the one of the child servers is responsible; and

~~the child server comprises~~ each child server comprises:

an acquiring unit that ~~acquires~~ acquiring and ~~copies~~ copying from ~~said~~ the parent server ~~said~~ the contents that are not held by ~~said~~ the one of the child servers servers on ~~the~~ a basis of the ascertained presence or the absence of ~~a~~ the distribution request or the frequency of distribution requests.

6. (CURRENTLY AMENDED) The distribution system according to claim 5, wherein ~~said~~ the child server further comprises:

an ascertaining unit that ~~ascertains~~ ascertaining the presence or the absence of ~~a~~ the distribution request or the frequency of distribution requests for ~~said~~ the contents from ~~said~~ the one of the clients situated in the area for which ~~said~~ the one of the child servers is responsible; and

~~an~~ a deleting unit that ~~deletes~~ deleting from ~~said~~ the one of the child server ~~servers~~ said the contents which are held by the one of the ~~said~~ child server ~~servers~~ on the basis of the ascertained presence or absence of ~~a~~ the distribution request or the frequency of distribution requests.

7. (CURRENTLY AMENDED) The distribution system according to claim 5, wherein ~~said~~ the child server further comprises:

~~an~~ a deleting unit that ~~deletes~~ deleting from the one of the ~~said~~ child server ~~servers~~ said the contents which are held by the one of the ~~said~~ child server ~~servers~~ on the basis of the presence or the absence of ~~a~~ the distribution request or the frequency of distribution requests ascertained by ~~said~~ the parent server.

8. (CURRENTLY AMENDED) A computer program product that operates on a parent server in a distribution system having the parent server and a plurality of child servers, ~~being arranged to be capable of connection~~ and connected with a plurality of clients through communication circuits, so that contents held by the parent server and/or the child servers are distributed to the clients, ~~said~~ the computer program product comprising:

~~a step of selecting~~ one of the child server ~~servers~~ that holds the contents, whose

distribution of which is requested and that is closest to ~~the~~one of the clients ~~client~~ that made the distribution request on ~~the~~a basis of an area identification representing a geographical position information of the one of the client ~~clients~~ that makes ~~a~~the distribution request for the contents and identification information of the contents, ~~whose~~the distribution of which is requested by the one of the clients ~~client~~; and

~~a step of~~ communicating the position information of the selected one of the child server servers to the ~~client~~one of the clients that makes the distribution request.

9. (CURRENTLY AMENDED) A computer program product that operates on a parent server in a distribution system having the parent server and a plurality of child servers, ~~being arranged to be capable of connection and connected~~ with a plurality of clients through communication circuits, so that the contents held by the parent server and/or the child servers are distributed to the clients, ~~said~~the computer program product comprising:

~~a step of~~ ascertaining ~~the~~a presence or an absence of a distribution request or ~~the~~a frequency of distribution requests ~~in respect of~~ the contents from the clients situated within an area for which one of the child server servers is responsible; and

~~a step of~~ giving the one of the child server servers notification to prompt copying ~~to the child server~~ from the parent server of the contents that are not held by the child server, or deleting from the one of the child server servers the contents that are held by the one of the child server servers, on ~~the~~a basis of the ascertained presence or absence of ~~a~~the distribution request or the frequency of distribution requests.

10. (CURRENTLY AMENDED) A computer program product that operates on a child server in a distribution system having a parent server and a plurality of child servers, ~~being arranged to be capable of connection and connected~~ with a plurality of clients through communication circuits, so that the contents held by the parent server and/or the child servers are distributed to the clients, ~~said~~the computer program product comprising:

a program code ~~which copies~~copying to one of the child server servers from the parent server the contents that are not held by the one of the child server servers, or ~~deletes~~deleting from the child server the contents that are held by the one of the child server servers, on ~~the~~a basis of a presence or an absence of a distribution request or a frequency of distribution requests for the contents from the clients situated in an area for which one of the child server servers is responsible.

11. (CURRENTLY AMENDED) A method of distributing contents to clients in a distribution system including a parent server and a plurality of child servers, ~~being arranged to be~~ capable of connection and connected with the plurality of clients through communication circuits, comprising:

~~a step in which the parent server receives~~ receiving identification information by the parent server of the contents ~~whose of which~~ distribution is requested and an area identification representing a geographical position information of one of the client clients that makes ~~a the~~ request for the distribution of the contents;

~~a step in which the parent server selects~~ selecting by the parent server, on ~~the a~~ basis of the received area identification position information of the one of the client clients and contents identification information, ~~the one of the child server servers~~ which has the contents that is requested for distribution and ~~which that~~ is closest to the one of the clients client that makes the request for distribution, and ~~notifies notifying the one of the clients the client~~ that makes the request for distribution of the received position information of the selected one of the child servers servers; and

~~a step in which the selected child server distributes~~ distributing the contents, ~~whose~~ distribution of which is requested by the selected one of the child servers, in response to ~~a the~~ request of the one of the clients client that makes ~~the~~ distribution request.

12. (CURRENTLY AMENDED) A method of distributing contents to clients in a distribution system including a parent server and a plurality of child servers, ~~being arranged to be~~ capable of connection and connected with the plurality of clients through communication circuits, comprising:

~~a step of~~ ascertaining the a presence or an absence of a distribution request or ~~the a~~ frequency of distribution requests in respect of the contents from the clients situated in an area for which one of the child server servers is responsible;

~~a step of~~ copying the contents which are not held on the one of the child server servers from the parent server to the one of the child server servers, or deleting the contents ~~which are held on the child server~~ from the one of the child server servers on ~~the a~~ basis of the ascertained presence or absence of ~~a the~~ distribution request or the frequency of distribution requests; and

~~a step of~~ performing the distribution from the one of the child server servers the child server in response to ~~a the~~ distribution request for the contents held by the one of the child

server servers ~~the child server~~ from the clients situated in the area for which the one of the child server servers ~~the child server~~ is responsible.

13. (CURRENTLY AMENDED) A distribution system ~~comprising a parent server, a plurality of child servers and~~ connected to a plurality of clients ~~which are connected through communication circuits so that contents held by the parent server and/or the child servers are distributed to the clients, wherein~~ comprising:

a parent server and child servers, wherein:

the clients communicate to the parent server an area identification representing a geographical position information of one of the clients and identification information of the contents, whose distribution of which is requested by the one of the clients,

the parent server selects, ~~on the a bases-basis~~ on the basis of the area identification position information of the one of the client-clients and the contents identification information that is communicated thereto, ~~the child server~~ one of the child servers that holds the contents, ~~whose distribution of which is requested and that is closest to the client-one of the clients that originates the distribution request, and~~ whose distribution of which is requested and that is closest to the client-one of the clients that originates the distribution request, and communicates the position information of the selected child server-one of the child servers to the client-one of the clients originating the distribution request; and

the ~~client-one of the clients~~ client-one of the clients that originates the distribution request receives the contents, ~~whose distribution of which is requested from the selected child-one of the child serversserver,~~ on the basis of the position information of the selected one of the child serverschild server.

14. (CURRENTLY AMENDED) The distribution system according to claim 13, wherein receipt performed by ~~saidthe one of the clients~~ the one of the clients ~~client-of the contents from saidthe selected one of the child servers~~ child server is conducted using a program downloaded to the one of the clients ~~said-client~~ from ~~saidthe~~ the parent server when the request for the distribution of ~~saidthe~~ the contents is made.